

Licence - 20850

<u>Licence Details</u>		
Number:	20850	
Anniversary Date:	01-January	

Licensee

MACH ENERGY AUSTRALIA PTY LTD

PO BOX 407

NEWCASTLE NSW 2300

Premises

MOUNT PLEASANT OPERATION

1100 WYBONG ROAD

MUSWELLBROOK NSW 2333

Scheduled Activity

Coal works

Mining for coal

Fee Based Activity	<u>Scale</u>
Coal works	> 5000000 T annual handing capacity
Mining for coal	> 5000000 T annual production capacity

Co	nta	ct	Us
-		v	-

NSW EPA

6 Parramatta Square

10 Darcy Street

PARRAMATTA NSW 2150

Phone: 131 555

Email: info@epa.nsw.gov.au

Locked Bag 5022

PARRAMATTA NSW 2124



Licence - 20850

INFO	DRMATION ABOUT THIS LICENCE	2
Dic	etionary	
	sponsibilities of licensee	
	· riation of licence conditions	
Du	ration of licence	
Lic	ence review	
Fee	es and annual return to be sent to the EPA	
Tra	ansfer of licence	5
Pul	blic register and access to monitoring data	{
1	ADMINISTRATIVE CONDITIONS	
A1	What the licence authorises and regulates	{
A2		
A3		
A4		
2	DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	
P1	Location of monitoring/discharge points and areas	-
3	LIMIT CONDITIONS	9
L1	Pollution of waters	{
L2	Concentration limits	{
L3	Waste	16
L4	Noise limits	1
L5	Blasting	12
L6	Potentially offensive odour	4-
4	OPERATING CONDITIONS	13
01	Activities must be carried out in a competent manner	1
02	Maintenance of plant and equipment	1-
О3	Dust	1
04	Effluent application to land	15
O5	Emergency response	4
O6	Waste management	1€
5	MONITORING AND RECORDING CONDITIONS	16
M1	Monitoring records	·1€
M2	Requirement to monitor concentration of pollutants discharged	16
М3		
M4	Weather monitoring	1



Licenc	ce - 20850	
M5	Recording of pollution complaints	1-8
M6	Telephone complaints line	19
M7	Requirement to monitor volume or mass	1- <u></u>
M8	Blasting	1£
M9	Other monitoring and recording conditions	2 0
M10	0 Noise monitoring	20
6 F	REPORTING CONDITIONS	21
R1	Annual return documents	21
R2	Notification of environmental harm	<u>2-</u> 2
R3	Written report	2 2
R4	Other notifications	2 3
R5	Other reporting conditions	24
7 (GENERAL CONDITIONS	25
G1	Copy of licence kept at the premises or plant	<u>2</u> 5
G2	Contact number for incidents and responsible employees	2€
8 \$	SPECIAL CONDITIONS	26
E1	Hunter River Salinity Trading Scheme (HRSTS)	2 €
DICT	TIONARY	27
Gen	neral Dictionary	27



Licence - 20850

Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



Licence - 20850

The EPA publication "A Guide to Licensing" contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

MACH ENERGY AUSTRALIA PTY LTD

PO BOX 407

NEWCASTLE NSW 2300

subject to the conditions which follow.



Licence - 20850

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Coal works	Coal works	> 5000000 T annual handing capacity
Mining for coal	Mining for coal	> 5000000 T annual production capacity

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
MOUNT PLEASANT OPERATION
1100 WYBONG ROAD
MUSWELLBROOK
NSW 2333
PREMISES MARKED AND SHOWN BY THE BLUE BOUNDARY ON THE PLAN TITLED "MACH ENERGY ENVIRONMENT PROTECTION LICENCE PREMISES MAP MOUNT PLEASANT OPERATION MUSWELLBROOK", DATED 06.03.2025 (EPA REF. DOC25/231328)
THIS LICENCE INCLUDES PARTS OF CASTLEROCK ROAD AND DORSET ROAD.

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

Ancillary Activity
Coal Works
Land-based extractive activity
sewage treatment plant



Licence - 20850

A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; andb) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.
- 2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

Λ	:-

EPA identi- fication no.	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Particulate Matter Monitoring (PM10)		Continuous particulate monitor located to the south-east of the premises, at MGA56 299558 6428748 shown as "A-PF2" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.
2	Particulate Matter Monitoring (PM10)		Continuous particulate monitor located to the north of the premises, at coordinates MGA56 295811 6434686 shown as "A-PF5" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.

P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

EPA Identi-	Type of Monitoring Point	Type of Discharge Point	Location Description
fication no.			



Licence - 20850

15	Effluent quality monitoring; Discharge to mine water system	Effluent quality monitoring; Discharge to mine water system	Monitoring of effluent discharge quality from MIA STP at MGA56 294163 6429420, shown as "MIA-STP" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.
16	Discharge and monitoring of saline water under the Hunter River Salinity Trading Scheme (HRSTS)	Discharge and monitoring of saline water under the Hunter River Salinity Trading Scheme (HRSTS)	Discharge and monitoring from Mine Water Dam location named 'MWD' as shown in Figure titled 'Environment Protection Licence Premises Map' dated 8/12/22 (EPA ref DOC22/1084473)

P1.3 The following points referred to in the table below are identified in this licence for the purposes of weather and/or noise monitoring and/or setting limits for the emission of noise from the premises.

Noise/Weather

EPA identi- fication no.	Type of monitoring point	Location description
3	Air blast overpressure & ground vibration peak particle velocity monitoring	Blast monitor located to the south-west of the premises, at MGA56 296265 6430737, shown as "B-VOC" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.
4	Meteorological Station	Meteorological monitoring located at MGA56 299023 6433749, shown as "M-WS4" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.
5	Noise monitoring	Attended noise monitoring at MGA56 291465, 6427182, shown as "N-AT1" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.
6	Noise monitoring	Attended noise monitoring at MGA56 290608 6434490, shown as "N-AT2" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190. Representative of dwellings to the north-west of the premises.
7	Noise monitoring	Attended noise monitoring at MGA56 300725 6432946, shown as "N-AT3" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190. Representative of NAG 5.



Licence - 20850

8	Noise monitoring	Attended noise monitoring at MGA56 299947 6429264, shown as "N-AT4" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190. Representative of NAG 6 & 7.
9	Noise monitoring	Attended noise monitoring at MGA56 299161 6427503, shown as "N-AT5" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190. Representative of NAG 8 & 9.
10	Noise monitoring	Attended noise monitoring at MGA56 289092 6423155, shown as "N-AT6" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190. Representative of NAG 11.
11	Meteorological Station	Meteorological monitoring located at MGA56 299558 6428748, shown as "M-WM2" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.
13	Air blast overpressure & ground vibration peak particle velocity monitoring	Blast monitor located to the south-west of the premises, at MGA56 300036 6428691, shown as "B-VO2" on plan titled "Environment Protection Licence Premises Map" at EPA Reference: DOC21/1102190.

P1.4 For the purpose of Condition P1.3, NAG refers to the Noise Assessment Groups shown in Figure 5-3 of Appendix 5 of DA 92/97 (MOD 4) dated 16 November 2018 (EPA reference DOC19/1010437).

3 Limit Conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

- L2.1 For each monitoring/discharge point or utilisation area specified in the table/s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\s.



Licence - 20850

L2.4 Water and/or Land Concentration Limits

POINT 16

Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
рН	рН				6.5 - 9.5
Total suspended solids	milligrams per litre				120

L3 Waste

L3.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled "Waste" and meeting the definition, if any, in the column titled "Description" in the table below.

Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled "Activity" in the table below.

Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled "Other Limits" in the table below.

This condition does not limit any other conditions in this licence.

Code	Waste	Description	Activity	Other Limits
NA	Waste tyres	Disposal of used heavy mobile equipment tyres at approved on-site locations.	Waste disposal (application to land)	50 tonnes of used tyres stored per dump location.

L4 Noise limits

L4.1 Noise generated at the premises must not exceed the noise limits presented in the table below.

Note:

The noise limits in the table below do not apply if the licensee has a written agreement with the relevant landowner to exceed the noise limit and the licensee has advised the EPA in writing of the terms of the agreement.

The noise limits in the table below do not apply to residences owned by the licensee or those residences that are subject to acquisition as listed in Table 1 of Schedule 3 of Development Consent DA 92/97 (MOD 4),



Licence - 20850

dated 16 November 2018.

Residences referenced in this table are from Table 3 of Schedule 3 of Development Consent DA92/97 (MOD 4), dated 16 November 2018 (EPA reference DOC19/1010437).

Location	Day - LAeq(15 minute)	Evening - LAeq(15 minute)	Night - LAeq(15 minute)	Night - LA1(1 minute)
EPA Point 5	43	43	43	45
EPA Point 6	36	36	36	45
EPA Point 7	41	41	41	45
EPA Point 8	43	42	42	45
EPA Point 9	40	40	40	45
EPA Point 10	35	35	35	45
Residence 68 & 74	43	42	42	45
Residence 86a	42	42	42	45
Residence 35, 35b & 77	42	41	41	45
Residence 79, 80a, 140c & 526	41	41	41	45
Residence 289	41	40	40	45
Residence 84a, 139, 154, 203, 257 & 258a	40	40	40	45
Residence 83	40	39	39	45
Residence 86b, 140a, 202 & 259	39	39	39	45
Residence 198 & 202b	38	38	38	45
Residence 260 & 261	37	37	37	45
Residence 169 & 272	36	36	36	45
NAG 5 - All other privately-owned land	41	40	39	45
NAG 6 - All other privately-owned land	37	37	37	45
NAG 7 - All other privately-owned land	40	37	37	45
NAG 8 - All other privately-owned land	41	39	39	45



Licence - 20850

NAG 9 - All other privately-owned land	39	38	37	45
NAG 11 - All other privately-owned land	37	36	35	45
All other privately-owned land	35	35	35	45

- L4.2 For the purposes of the noise limits in this licence:
 - a) Day is defined as the period from 7 am to 6 pm Monday to Saturday, and 8 am to 6 pm Sundays and Public Holidays,
 - b) Evening is defined as the period from 6 pm to 10 pm, and
 - c) Night is defined as the period from 10 pm to 7 am Monday to Saturday, and 10 pm to 8 am Sundays and Public Holidays.
- L4.3 The noise limits set out in this licence apply under all meteorological conditions except for the following:
 - a) Wind speeds greater than 3 metres/second at 10 metres above ground level; or
 - b) Stability category F temperature inversion conditions and wind speeds greater that 2 metres/second at 10 metres above ground level; or
 - c) Stability category G temperature inversion conditions.
- L4.4 For the purposes of condition L3.3:
 - a) Data recorded by the closest and most representative meteorological station installed on the premises at EPA Identification Point 4 or 11 must be used to determine the meteorological conditions; and
 - b) Temperature inversion conditions (stability category) are to be determined using the sigma-theta method described in Appendix E of the Industrial Noise Policy (EPA 2000).

L5 Blasting

- L5.1 Blasting in or on the premises must only be carried out between 0900 hours and 1700 hours, Monday to Saturday. Blasting in or on the premises must not take place on Sundays or Public Holidays without the prior approval of the EPA.
- L5.2 The airblast overpressure level from blasting operations in or on the premises must not exceed 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period at any blast monitoring location specified in this licence.
- L5.3 The airblast overpressure level from blasting operations in or on the premises must not exceed 120 dB (Lin Peak) at any time at any blast monitoring location specified in this licence.
- L5.4 Ground vibration peak particle velocity from blasting operations in or on the premises must not exceed 5 mm/second for more than 5% of the total number of blasts during each reporting period at any blast monitoring location specified in this licence.
- L5.5 Ground vibration peak particle velocity from blasting operations in or on the premises must not exceed 10 mm/second at any time at any blast monitoring location specified in this licence.
- L5.6 Offensive blast fume must not be emitted from the premises.

 Definition:



Licence - 20850

Offensive blast fume means post-blast gases from the detonation of explosives at the premises that by reason of their nature, duration, character or quality, or the time at which they are emitted, or any other circumstances:

- 1. are harmful to (or likely to be harmful to) a person that is outside the premises from which it is emitted; or
- 2. interferes unreasonably with (or is likely to interfere unreasonably with) the comfort or repose of a person who is outside the premises from which it is emitted.

L6 Potentially offensive odour

- L6.1 No condition of this licence identifies a potentially offensive odour for the purposes of Section 129 of the Protection of the Environment Operations Act 1997.
- Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
 - a) must be maintained in a proper and efficient condition; and
 - b) must be operated in a proper and efficient manner.

Sewage Treatment System

- O2.2 The sewage treatment system at the premises must be serviced by a suitably qualified and experienced wastewater technician at least once in each quarterly period and a minimum of four times per year.
- O2.3 The licensee must record each inspection and any actions required or recommended by the technician including date, time, and all results of tests performed on the sewage treatment system by the technician.

O3 Dust



Licence - 20850

- O3.1 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.
- O3.2 Activities occurring in or on the premises must be carried out in a manner that will minimise the generation, or emission from the premises, of wind-blown or traffic generated dust.
- O3.3 All trafficable areas, coal storage areas and vehicle manoeuvring areas in or on the premises must be maintained, at all times, in a condition that will minimise the generation, or emission from the premises, of wind-blown or traffic generated dust.
- O3.4 The licensee must cease all dust generating activities during adverse conditions being the occurrence of both.
 - i) the adverse wind conditions set out in Condition O3.5 (b), and
 - ii) the adverse PM₁₀ concentrations set out in Condition O3.5 (c).
- O3.5 For the purpose of Condition O3.4 the following definitions apply:
 - (a) 'dust generating activities' means all drilling activities, blasting, earthworks, construction activities, all hauling activities on unsealed haul roads, all overburden and coal extraction operations including loading and dumping activities and grader, loader, dozer and dragline operations.
 - (b) 'adverse wind conditions' means the 1-hour average wind direction between 250 degrees and 340 degrees (inclusive) measured at the Muswellbrook NW Upper Hunter Air Quality Monitoring Network monitor. Australian Standard AS3580.14-2014 is to be used to calculate the 1 hour average wind direction.
 - (c) 'adverse PM₁₀ concentrations' means a rolling 24-hour average PM₁₀ concentration of equal to or greater than 44 micrograms per cubic metre measured at the Muswellbrook NW Upper Hunter Air Quality Monitoring Network monitoring station.
 - (d) Operation of watercarts is permitted at all times.
 - (e) Activities within the Coal Handling and Preparation Plant and Materials Handling Area, including run-of-mine (ROM) coal, product coal handling (including dozer/loader operations) and train loading operations as identified in blue on plan titled 'Mach Energy Materials Handling Area Dust Exclusion Zone General Arrangement Mount Pleasant Coal Drawing 90500-51-1-SV-Material Handling Area Update-r1' (EPA ref DOC23/37979-1) are not included as dust generating activities provided all automated dust suppression spray systems at the ROM hopper, conveyor transfer points and product stockpiles are in use, at least one water cart is in use on the ROM stockpile and an adjustable hood is lowered onto rail wagons loadings.
 - (f) Exploration drilling operations using 'wet drilling methods' (as per definition in EPA ref DOC24/944673) are not included as a dust generating activity as defined in Condition O3.5(a).
- O3.6 Shutdown of dust generating activities required by Condition O3.4 must be completed within 1 hour of receiving data that triggers action required by Condition O3.4.
- O3.7 The licensee may resume dust generating activities at the premises when:
 - (a) adverse wind conditions as defined in Condition O3.5(b); or
 - (b) adverse PM₁₀ concentrations as defined in Condition O3.5(c) are not measured for a minimum time period of 1 hour from the time that cessation of dust generation



Licence - 20850

activities is completed.

- O3.8 At any time when there is no access to the meteorological data or PM₁₀ data from the Muswellbrook NW Upper Hunter Air Quality Monitoring Network monitoring station, definitions of 'adverse wind conditions' and 'adverse PM₁₀ concentrations' in condition O3.5 are replaced with:
 - 'adverse wind conditions' means a 1-hour average wind direction between 245 and 345 degrees (inclusive) measured at EPA Monitoring Point 11, identified in condition P1.3
 - 'adverse PM₁₀ concentrations' means a rolling 24-hour average PM₁₀ concentration of equal to or greater than 44 micrograms per cubic metre measured at the EPA Monitoring Point 1, identified in condition P1.3
- Note: If at any time, there is no access to the Muswellbrook NW Upper Hunter Air Quality Monitoring Network monitoring station and to either 1-hour average wind direction data from monitoring point 11 or PM 10 data from monitoring point 1 the licensee must cease dust generating activities at the premises.
- O3.9 For the purpose of condition O3.5 (e), dust suppression systems must be operated in a manner to ensure that there is no visible dust emissions emitted from the premises.

O4 Effluent application to land

- O4.1 The licensee must ensure that the effluent discharge utilisation area perimeter is fenced, signposted and controlled in a manner to ensure exclusion of persons from that area.
- O4.2 The licensee must ensure that sprays or mists from irrigation do not drift beyond the boundary of the effluent discharge utilisation area and that no ponding occurs.
- O4.3 Application of wastewaters must only be applied at a rate that can be assimilated by the effluent discharge utilisation area and its evapotranspiration capacity.

O5 Emergency response

Note: The licensee must prepare a Pollution Incident Response Management Plan (PIRMP) as per section 153A of the *Protection of the Environment Operations Act 2021*. The PIRMP must:

- 1. Include the information detailed in section 153A of the *Protection of the Environment Operations Act 2021*, and to be in the form required by clause 71 in the *Protection of the Environment Operations (General) Regulation 2022*.
- 2. Be kept at the premises to which the licence relates; and
- 3. Be tested in accordance with clause 75 of the *Protection of the Environment Operations (General) Regulation 2022.*



Licence - 20850

O6 Waste management

- O6.1 The licensee is authorised to dispose of heavy plant waste tyres generated on the premises, in the pit. The licensee must:
 - a) ensure heavy plant waste tyres are reused on the premises as much as practical;
 - b) ensure that any surplus waste tyres can be emplaced by being spread out on the pit floor and be buried as deep as is reasonably practical;
 - c) ensure buried waste tyres are covered by at least 20 m of inert material beneath any final rehabilitated surfaces:
 - d) place the waste tyres at least 10 m away from coarse reject material or tailings emplacement areas;
 - e) not place waste tyres near heated material; and
 - f) not place any waste tyres in an area likely to leach to any waters.

5 Monitoring and Recording Conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
 - a) in a legible form, or in a form that can readily be reduced to a legible form;
 - b) kept for at least 4 years after the monitoring or event to which they relate took place; and
 - c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
 - a) the date(s) on which the sample was taken;
 - b) the time(s) at which the sample was collected;
 - c) the point at which the sample was taken; and
 - d) the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:
- M2.2 Air Monitoring Requirements

POINT 1,2



Licence - 20850

Pollutant	Units of measure	Frequency	Sampling Method
PM10	milligrams per cubic metre	Continuous	Special Method 1

- M2.3 For the purpose of the table(s) above Special Method 1 means monitoring in strict accordance with the manufacturer's operating manual supplied with the continuous monitoring equipment, or any updated versions as published by the manufacturer.
- M2.4 Water and/ or Land Monitoring Requirements

POINT 15

Pollutant	Units of measure	Frequency	Sampling Method
Faecal Coliforms	colony forming units per 100 millilitres	Quarterly	Grab sample
рН	рН	Quarterly	Grab sample

POINT 16

Pollutant	Units of measure	Frequency	Sampling Method
Conductivity	microsiemens per centimetre	Continuous during discharge	A probe designed to measure the range 0 to 10,000 uS/cm
рН	рН	Daily during any discharge	Representative sample
Total suspended solids	milligrams per litre	Daily during any discharge	Representative sample

M3 Testing methods - concentration limits

- M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:
 - a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
 - b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
 - c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2022* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".



Licence - 20850

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Weather monitoring

M4.1 At the point(s) identified below, the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1 of the table below, using the corresponding sampling method, units of measure, averaging period and sampling frequency, specified opposite in the Columns 2, 3, 4 and 5 respectively.

POINT 11

Parameter	Sampling method	Units of measure	Averaging period	Frequency
Wind Speed at 10 metres	AM-2 & AM-4	metres per second	10 minutes	Continuous
Wind Direction at 10 metres	AM-2 & AM-4	Degrees	10 minutes	Continuous

POINT 4

Parameter	Sampling method	Units of measure	Averaging period	Frequency
Wind Speed at 10 metres	AM-2 & AM-4	metres per second	10 minutes	Continuous
Temperature at 2 metres	AM-4	degrees Celsius	10 minutes	Continuous
Sigma theta	AM-2 & AM-4	degrees Celsius	10 minutes	Continuous
Rainfall	AM-4	millimetres per hour	1 hour	Continuous
Relative humidity	AM-4	percent	1 hour	Continuous
Siting	AM-1	None	-	-
Temperature at 10 metres	AM-4	degrees Celsius	10 minutes	Continuous
Total Solar Radiation	AM-4	Watts per square metre	10 minutes	Continuous

M4.2 All methods specified in conditions M4.1 are specified in the *Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales ('Approved Methods')* and all monitoring must be conducted strictly in accordance with the requirements outlined the Approved Methods.

M5 Recording of pollution complaints

M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.



Licence - 20850

- M5.2 The record must include details of the following:
 - a) the date and time of the complaint;
 - b) the method by which the complaint was made;
 - c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
 - d) the nature of the complaint;
 - e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
 - f) if no action was taken by the licensee, the reasons why no action was taken.
- M5.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M5.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M6 Telephone complaints line

- M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M6.3 The preceding two conditions do not apply until two weeks from the date of the issue of this licence.

M7 Requirement to monitor volume or mass

- M7.1 For each discharge point or utilisation area specified below, the licensee must monitor:
 - a) the volume of liquids discharged to water or applied to the area;
 - b) the mass of solids applied to the area;
 - c) the mass of pollutants emitted to the air;
 - at the frequency and using the method and units of measure, specified below.

POINT 16

Frequency	Unit of Measure	Sampling Method
Continuous during discharge	megalitres per day	Special Method 2

M7.2 For the purpose of the table(s) above Special Method 2 means electronic sensor and continuous logger.

M8 Blasting

- M8.1 To determine compliance with the blast limits specified in this licence:
 - a) Airblast overpressure and ground vibration levels must be measured and electronically recorded for Monitoring Points 3 and 13 for the parameters specified in column 1 of the table below; and



Licence - 20850

b) The licensee must use the units of measure, sampling method and sample at the frequency specified opposite in the other columns.

Parameter	Units of Measure	Frequency	Sampling Method
Airblast Overpressure	Decibels (Linear Peak)	All blasts	Australian Standard AS 2187.2-2006
Ground Vibration Peak Particle Velocity	millimetres/second	All blasts	Australian Standard AS 2187.2-2006

M9 Other monitoring and recording conditions

Requirement to Monitor Particulate Matter

M9.1 The licensee must record the average PM₁₀ concentration at Monitoring Points 1 and 2 at intervals of 10 minutes. This data must be made available upon request by any authorised officer of the EPA who asks to see them.

HRSTS Monitoring

- M9.2 The Licensee must continuously operate and maintain communication equipment which makes the conductivity and flow measurements, taken at Point 16 available to the "Service Coordinator" within one hour of those measurements being taken and makes them available in the format specified in the report titled "Hunter River Salinity Trading Scheme Discharge Point Telemetry Specification Rev V1.0 Released 4 October 2018" as published by WaterNSW.
- M9.3 The licensee must ensure that all monitoring data is within a margin of error of 5% for conductivity measurements and 10% for discharge flow measurement.
- M9.4 The licensee must mark monitoring point 16 with a sign which clearly indicates the name of the licensee, whether the monitoring point is up or down stream of the discharge point and that it is a monitoring point for the Hunter River Salinity Trading Scheme.

M10 Noise monitoring

M10.1 To assess compliance with the noise limits specified within this licence, the licensee must undertake operator attended noise monitoring at each specified noise monitoring point in accordance with the table below.



Licence - 20850

POINT 5,6,7,8,9,10

Assessment period	Minimum frequency in a reporting period	Minimum duration within assessment period	Minimum number of assessment period
Night	Monthly	15 minutes	1 operation day

- M10.2 To assess compliance with the noise limits specified within the licence, operator attended noise monitoring must be undertaken in accordance with Conditions L3.2 to L3.4:
 - a) at the noise monitoring locations specified in condition P1.3; and
 - b) occur every calendar month in a reporting period; and
 - c) occur during one night time period as defined in the Industrial Noise Policy (EPA 2000) for a minimum of 15 minutes at each location from a).
- M10.3 For the purposes of compliance monitoring and determining the noise generated at the premises the modification factors in Fact Sheet C of the Noise Policy for Industry (EPA 2017) must be applied, as appropriate, to the noise levels measured by noise monitoring equipment.
- M10.4 Where required in writing by the EPA, the licensee must carry out attended noise monitoring at sensitive receivers in addition to the monitoring required by Condition M9.2.

6 Reporting Conditions

R1 Annual return documents

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:
 - 1. a Statement of Compliance,
 - 2. a Monitoring and Complaints Summary,
 - 3. a Statement of Compliance Licence Conditions,
 - 4. a Statement of Compliance Load based Fee,
 - 5. a Statement of Compliance Requirement to Prepare Pollution Incident Response Management Plan,
 - 6. a Statement of Compliance Requirement to Publish Pollution Monitoring Data; and
 - 7. a Statement of Compliance Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.



Licence - 20850

- R1.3 Where this licence is transferred from the licensee to a new licensee:
 - a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
 - b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

- R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:
 - a) in relation to the surrender of a licence the date when notice in writing of approval of the surrender is given; or
 - b) in relation to the revocation of the licence the date from which notice revoking the licence operates.
- R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').
- R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:
 - a) the licence holder; or
 - b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
 - a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.



Licence - 20850

- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
 - a) the cause, time and duration of the event;
 - b) the type, volume and concentration of every pollutant discharged as a result of the event;
 - c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort:
 - e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
 - f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
 - g) any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other notifications

Blast Exceedance Notification

R4.1 The licensee must report any exceedance of the blast limits specified in this licence to the EPA at info@epa.nsw.gov.au as soon as practicable after the exceedance becomes known to the licensee or to one of its employees or agents.

Noise Exceedance Notification

R4.2 The licensee must report any exceedance of noise limits specified in this licence to the EPA at info@epa.nsw.gov.au as soon as practicable after the exceedance becomes known to the licensee or to one of its employees or agents.

Dust Shutdown Notification

R4.3 The licensee must report any exceedance of the 1 hour dust shutdown timeframe prescribed in condition O3.6 of this licence to the EPA at info@epa.nsw.gov.au as soon as practicable after the exceedance becomes known to the licensee or to one of its employees or agents.

Notification of Pollutions of Waters

- R4.4 The licensee must notify the EPA by telephoning the Environment Line service on 131555 immediately after the licensee becomes aware of any contravention or potential contravention of Condition L1.1 of this licence.
- R4.5 The licensee must provide written details of the notification to the EPA at info@epa.nsw.gov.au within 7 days of the date of the notification.



Licence - 20850

R5 Other reporting conditions

Reporting of Blast Monitoring

- R5.1 For each Annual Return reporting period the licensee must submit a Blast Monitoring Report to the EPA for that period. The report must:
 - a) include the results of the blast monitoring required by this licence;
 - b) identify any exceedance of the blast limits in this licence; and
 - c) describe management actions taken to address any exceedances.

Noise Monitoring Report

- R5.2 For each Annual Return reporting period the licensee must submit a Noise Compliance Assessment Report to the EPA for that period. The report must:
 - a) be prepared by an appropriately qualified acoustic consultant and determine compliance with noise limits specified in this licence;
 - b) include all routine attended monitoring undertaken throughout the year;
 - c) include measurement and reporting of C-weighted noise levels; and
 - d) outline management actions taken within the monitoring period to address any exceedances of the limits specified in this licence.

Dust Monitoring Report

- R5.3 For each Annual Return reporting period the licensee must submit a Dust Monitoring Report to the EPA for that period. The report must include:
 - a) details of times, wind speeds and wind direction during 'adverse conditions';
 - b) details of the date, time and duration when dust generating activities were ceased in accordance with condition O3.4;
 - c) weather conditions monitored at Monitoring Point 4:
 - i. during the period when dust generating activities were ceased;
 - ii. for the 24 hour period immediately prior to dust generating activities being ceased; and
 - iii. for the 24 hour period immediately after dust generating activities resumed.
 - d) PM10 monitoring data measured at Monitoring Points 1 and 2:
 - i. during the period when dust generating activities were ceased;
 - ii. for the 24 hour period immediately prior to dust generating activities being ceased; and
 - iii. for the 24 hour period immediately after dust generating activities resumed.
 - e) details of the date and time dust generating activities were resumed;
 - f) a list of days when the average 24 hour PM10 at the Muswellbrook Upper Hunter Air Quality Monitoring Network monitor exceeded 50 μg/m3.
 - g) 10 minute wind speed and direction data at Monitoring Point 4 for days when the average 24 hour PM10 at the Muswellbrook Upper Hunter Air Quality Monitoring Network monitor exceeded 50 μ g/m3.
 - h) 10 minute PM10 data from Monitoring Points 1 and 2 for days when the average 24 hour PM10 at the Muswellbrook Upper Hunter Air Quality Monitoring Network monitor exceeded 50 μ g/m3.



Licence - 20850

Note: This information is necessary for the EPA to review whether conditions O3.4 to O3.8 are achieving the objective of ensuring that activities carried on at the premises do not increase the number of days when average PM10 concentrations in Muswellbrook exceed 50ug/m3. The EPA may review these conditions if this objective is not being achieved.

Sewage Treatment Systems

- R5.4 For each Annual Return reporting period the licensee must submit a Sewage Treatment System Maintenance Report to the EPA for that period. The report must include:
 - a) sewage system maintenance program including any logs;
 - b) results of any water quality sampling undertaken;
 - c) any system issues identified; and
 - d) management response to any issues.
- R5.5 The licensee must retain a copy of each report as required by Condition O2.3 for 3 years from the date each record is made.

Heavy Plant Tyre Disposal Report

R5.6 For each Annual Return reporting period the licensee must submit a Heavy Plant Tyre Disposal Report to the EPA for that period.

The report must include the following information for each waste tyre:

- a) the size and type;
- b) disposal date;
- c) cumulative tonnage of waste tyres disposed in each disposal area;
- d) GPS coordinates (easting and northing) of the disposal location;
- e) the Real Level (RL) in metres of the burial depth; and
- f) where reasonably available the purchase date, supplier and serial number.

HRSTS Reporting

R5.7 The licensee must compile a written report of the activities under the Hunter River Salinity Trading Scheme for each scheme year. The scheme year shall run from 1 July to 30 June each year. The written report must be submitted to the EPA's regional office within 60 days after the end of each scheme year and be in a form and manner approved by the EPA. The information will be used by the EPA to compile an annual scheme report.

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.



Licence - 20850

G2 Contact number for incidents and responsible employees

- G2.1 The licensee must operate 24-hour telephone contact lines for the purpose of enabling the EPA to directly contact one or more representatives of the licensee who can:
 - a) respond at all times to incidents relating to the premises; and
 - b) contact the licensee's senior employees or agents authorised at all times to:
 - i) speak on behalf of the licensee; and
 - ii) provide any information or document required under this licence.
- G2.2 The licensee is to inform the EPA in writing of the appointment of any subsequent contact persons, or changes to the person's contact details as soon as practicable and in any event within fourteen days of the appointment or change.

8 Special Conditions

E1 Hunter River Salinity Trading Scheme (HRSTS)

- E1.1 This licence authorises the discharge of saline water into the Hunter River Catchment from an authorised discharge point (or points), in accordance with the Protection of the Environment Operations (Hunter River Salinity Trading Scheme) Regulation 2002.
- E1.2 For the purposes of Clauses 23 and 29 of the Protection of the Environment Operations (Hunter River Salinity Trading Scheme) Regulation 2002 the licensee must apply the conversion factor of 0.6.
- E1.3 The licensee must not exceed the hourly volume discharge limit calculated using the following formula, at all discharge point(s) on this licence titled "Discharge of saline water under the Hunter River Salinity Trading Scheme (HRSTS)":

H = V / RRT

Where:

- **H** is the hourly volume discharge limit (in megalitres per hour);
- **V** is the licence holder's volume discharge limit for the block (in megalitres) calculated in accordance with clause 23 of the Protection of the Environment Operations (Hunter River Salinity Trading Scheme) Regulation (2002); and

RRT is the difference between the discharge stop and start times shown on the river register for that block (in hours)

- *Note 1:* The intent of this condition is to prevent spikes of saline water in the Hunter River as a result of discharges of less than the duration permitted by the river register.
- *Note 2:* A river register is issued by the Service Co-ordinator and allows participants of the Hunter River Salinity Trading Scheme (HRSTS) to discharge saline to the Hunter River during a discharge period.



Licence - 20850

Dictionary

General Dictionary

3DGM [in relation		
to a concentration		
limit]		

Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples

Act Means the Protection of the Environment Operations Act 1997

activity Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment

Operations Act 199

actual load Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009

AM Together with a number, means an ambient air monitoring method of that number prescribed by the

Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.

AMG Australian Map Grid

anniversary date

The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a

licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the

commencement of the Act.

annual return Is defined in R1.1

Approved Methods Publication Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009

assessable pollutants

Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009

BOD Means biochemical oxygen demand

CEM Together with a number, means a continuous emission monitoring method of that number prescribed by

the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.

COD Means chemical oxygen demand

composite sample Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples

collected at hourly intervals and each having an equivalent volume.

cond. Means conductivity

environment Has the same meaning as in the Protection of the Environment Operations Act 1997

environment protection legislation

Has the same meaning as in the Protection of the Environment Administration Act 1991

EPA Means Environment Protection Authority of New South Wales.

fee-based activity classification

Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations

(General) Regulation 2009.

general solid waste (non-putrescible)

Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act

1997



Licence - 20850

Licence - 20850	
flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environmen t Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Together with a number, means a test method of that number prescribed by the Approved Methods for the

Sampling and Analysis of Air Pollutants in New South Wales.

TM



Licence - 20850

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste
Wellhead	Has the same meaning as in Schedule 1 to the Protection of the Environment Operations (General) Regulation 2021.

Mr Michael Howat

Environment Protection Authority

(By Delegation)

Date of this edition: 24-November-2016



Licence - 20850

End Notes				
2	Licence varied by notice	1549577 issued on 21-Feb-2017		
3	Licence varied by notice	1551444 issued on 27-Apr-2017		
4	Licence varied by notice	1553615 issued on 11-Jul-2017		
5	Licence varied by notice	1555281 issued on 18-Aug-2017		
6	Licence varied by notice	1560563 issued on 05-Mar-2018		
7	Licence varied by notice	1569819 issued on 08-Oct-2018		
8	Licence varied by notice	1573657 issued on 01-May-2019		
9	Licence varied by notice	1588703 issued on 12-Aug-2020		
10	Licence varied by notice	1604737 issued on 20-Jan-2021		
11	Licence varied by notice	1607276 issued on 23-Apr-2021		
12	Licence varied by notice	1613067 issued on 28-Oct-2021		
13	Licence varied by notice	1616240 issued on 07-Feb-2022		
14	Licence varied by notice	1625016 issued on 28-Feb-2023		
15	Licence fee period change	ed by notice 1635444 on 13-Dec-2023		
16	Licence varied by notice	1642647 issued on 04-Dec-2024		