

**Mount Pleasant Operation  
Monthly Environmental Monitoring Report**

**April 2023**

## 1. Introduction

The Mount Pleasant Operation (MPO) is located in the Upper Hunter Valley of New South Wales, approximately three kilometres (km) north-west of Muswellbrook and approximately 50 km north-west of Singleton. The villages of Aberdeen and Kayuga are located 12 km north-northeast and 3 km north of the operations, respectively.

The purpose of this report is to provide a monthly update of monitoring data in accordance with the requirements of NSW Environmental Protection Licence (EPL) 20850, Section 66(6) of the *Protection of the Environment Operations Act 1997 (POEO Act)* and the MPO Development Approval (DA 92/97).

**Table 1-1 – Mount Pleasant Operation**

<b>Name of Operation</b>	Mount Pleasant Operation
<b>Name of Licensee</b>	MACH Energy Australia Pty Ltd
<b>Environmental Protection Licence</b>	20850
<b>Project Approval</b>	DA 92/97
<b>Reporting Period Start Date</b>	1 April 2023
<b>Reporting Period End Date</b>	30 April 2023
<b>Date All Data Received</b>	2 June 2023

Links to two key regulatory documents are provided here:

- [MACH Energy Environment Protection Licence EPL 20850; and](#)
- [Mount Pleasant Operation Development Application Approval DA 92/97.](#)

## 2. Monitoring Requirements

The MPO EPL 20850 specifically requires the monitoring of:


- 2 x Palas Fidas Air Quality Monitoring sites;
- Noise monitoring;
- Blast monitoring; and
- Meteorological monitoring.

Monitoring of sites not required by the EPL are carried out in accordance with *MPO Environmental Monitoring Program (EMP)* and Project Approval (DA 92/97).

All monitoring is undertaken by suitably qualified and experienced person(s).


The MPO Environmental Monitoring Network is shown in the following figures:

- **Figure 2-1** shows MPO attended noise monitoring locations and Noise Assessment Groups (NAGs);
- **Figure 2-2** shows the MPO Air Quality Monitoring network;
- **Figure 2-3** shows the MPO Blast Monitoring Locations;
- **Figure 2-4** shows the MPO Groundwater Monitoring network; and
- **Figure 2-5** shows the MPO Surface Water Monitoring network.



**Figure 2-1 – MPO Attended Noise Monitoring Assessment Groups and Locations**





**Figure 2-2 – MPO Air Quality and Meteorological Monitoring Network**













**Figure 2-5 – MPO Surface Water Monitoring Network**

### 3. Meteorological Monitoring

Weather data is measured continuously at the Kayuga Road (M-WS4) and the Wybong Road (M-WS2) meteorological stations. In addition to air quality parameters (PM<sub>10</sub> and PM<sub>2.5</sub>), the weather stations measure wind speed and direction, temperature (at 2 metres (m) and 10m), temperature inversion (using the sigma theta method), solar radiation, relative humidity, rainfall and atmospheric pressure.

The majority of meteorological data was captured at M-WS2 (>99.9%) during April 2023 (the monitoring period), with the exception of solar radiation parameters (92%). The majority of data for this meteorological parameter was captured at M-WS4 (93.2%) during the monitoring period.

Throughout April 2023, there was 29.2mm and 36mm of rainfall recorded at M-WS2 and M-WS4, respectively.

### 4. Dust Depositional Monitoring

#### 4.1 Methodology

Dust deposition was monitored according to the OEH's *Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales* (DECC 2007), which references *Australian Standard (AS)/New Zealand Standard (NZS) 3580.10.1:2016 Methods for Sampling and Analysis of Ambient Air: Determination of particulate matter – Deposited matter – Gravimetric Method*. The dust deposition monitoring network comprises of 13 dust deposition gauges (DDG). Details of the monitoring locations are shown in **Figure 2-2**.

DDG samples can be contaminated by a variety of means, notably by the presence of insects and bird droppings. Results for contaminated gauges were not included in the calculation of the annual averages as this would result in skewed or misleading results for the purpose of dust deposition assessment. The Australian Standard does not provide criteria for the determination of contamination of a DDG. A gauge sample is determined by AECOM to be contaminated only after reference to field observation sheets, historical monitoring location data, laboratory notes and results, prevailing atmospheric conditions and feedback from field technicians. For example, a gauge sample with a statistically abnormally high insoluble solids result, a low ash residue result (indicating a high level of organic matter) and field notation that bird droppings or insects were present is likely to be considered contaminated.

#### 4.2 Results

The dust deposition exposure period for gauges commenced on 20 March 2023. Sample collection was undertaken on 21 April 2023 by AECOM with sample analysis performed by ALS, a National Accreditation and Testing Authority (NATA) accredited laboratory. Results are summarised in **Table 4-1**. Annual rolling averages for April 2023 have been provided as an indication of performance between April 2022 – April 2023 and does not represent annual average results for 2023 as per Schedule 3, Condition 20 of DA 92/97.



**Table 4-1: Dust Depositional Results – April 2023**

Location	YTD Insoluble Solids (g/m <sup>2</sup> .month)	Insoluble Solids Annual Rolling Average (g/m <sup>2</sup> .month)
D1	2.1	2.0
D3*	-	-
D4	1.4	1.0
D5a	2.3	2.0
D6	2.2	1.8
D7b	7.3	<b>6.7</b>
D8	3.5	2.8
D9a	4.4	3.0
D10	1.2	1.0
D11	2.6	1.9
D12	1.2	0.7
D13	1.9	1.3
D14	4.8	3.0
Criterion	-	<b>4</b>


Notes:

Results in **bold** indicate an elevated measurement of adopted assessment criteria

\* not in service.

Contaminated results, as described in Section 4.1, are not included in the 12-month rolling average. Site D7b is located within close proximity to the northern boundary of a neighbouring mining operation and thus can be influenced by this site. D7b will continue to be monitored, however will not be used to assess compliance or to represent residential receivers in the area. Furthermore, there are no privately-owned receivers in the vicinity of D8 and D14. Whilst these sites do not represent residence(s) on privately-owned land, they will continue to be monitored in accordance with the *MPO Air Quality and Greenhouse Gas Management Plan* (MACH Energy, 2019).

Field notes from the April sampling event noted that all the gauges contained insects. There was insufficient evidence of contamination in all depositional dust gauges to justify any being deemed contaminated. All April 2023 insoluble solid results were included in the annual rolling average calculations. **Figure 4-1** compares the monthly insoluble solids results to the annual averages for each dust gauge and the assessment criterion.



**Figure 4-1: MPO Dust Deposition Monthly Results and Annual Rolling Average – April 2023**

## 5. Total Suspended Particulates

All High Volume Air Samplers (HVAS) are run for 24 hours every six days in accordance with *AM-15 of Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales* (DECC, 2007), referencing *AS/NZS 3580.9.3:2015 Methods for sampling and analysis of ambient air – Determination of suspended particulate matter – Total suspended particulate matter (TSP) - High volume sampler gravimetric method*, for the monitoring of TSP.

Three TSP HVAS units are included in the MPO air quality monitoring network and are displayed in **Table 5-1** below. These units were commissioned in March 2017.

**Table 5-1 Total Suspended Particulate Monitoring Sites**

ID	Description
A-PF2	Reilly's
M-WS4	Kayuga Road Met Station
A-PF5	Athlone

### 5.1 Assessment Criteria

TSP is assessed against the guidelines defined in the *EPA Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (EPA 2016) and Project Approval DA 92/97. The DA 92/97 specifies an annual average project contribution plus background criterion of 90  $\mu\text{g}/\text{m}^3$ .

### 5.2 Results

In April 2023, sample collection was undertaken by AECOM with sample analysis performed by ALS, a NATA accredited laboratory. TSP results for the monitoring period are provided in **Table 5-2**. Annual rolling averages for April 2023 have been provided as an indication of



performance between April 2022 – April 2023 and do not represent annual average results for 2023 as per Schedule 3, Condition 20 of DA 92/97.

**Table 5-2 Total Suspended Particulate Monitoring Data – April 2023**

Run Date	Assessment Criterion	TSP $\mu\text{g}/\text{m}^3$		
		HVAS A-PF2	HVAS M-WS4	HVAS A-PF5
5/04/2023	-	38.6	38.8	48.2
11/04/2023	-	56.1	9.9	13.3
17/04/2023	-	53.3	43.2	29.5
23/04/2023	-	30.4	59.2	34.8
29/04/2023	-	75.8	32.6	76.9
Monthly Mean	-	50.8	36.7	40.5
<b>Annual Rolling Average</b>	90	45	35	29

Notes:

Results in **bold** indicate an elevated reading

## 5.3 Discussion

For the reporting period, the annual rolling average TSP data at all sites was below the annual average criterion of 90  $\mu\text{g}/\text{m}^3$ .

## 6. Real Time Air Quality Monitoring

Continuous particulate matter less than 10  $\mu\text{m}$  ( $\text{PM}_{10}$ ) and particulate matter less than 2.5  $\mu\text{m}$  ( $\text{PM}_{2.5}$ ) monitoring was conducted by three Palas Fidas units (one utilised for management only) at MPO during April 2023.

The EPA identification numbers 1 and 2 refer to Palas Fidas units installed on Wybong Road (A-PF2) and Dorset Road (A-PF5), respectively. In addition, a third unit (A-PF4) is installed on Kayuga Road with data used for management purposes only.

Real time  $\text{PM}_{10}$  and  $\text{PM}_{2.5}$  12-month rolling averages for April 2023 have been provided in Section 6.2 and 6.4 respectively, as an indication of performance during 2023 as per Schedule 3, Condition 20 of DA 92/97.

### 6.1 $\text{PM}_{10}$ Results – 24 Hour Rolling Average

In accordance with the DA 92/97 limit of 50  $\mu\text{g}/\text{m}^3$  for the 24 hour rolling average, there were no elevated readings in April 2023. Real time  $\text{PM}_{10}$  24 hour rolling average results for April 2023 are presented in **Table 6-1**.

**Table 6-1: MPO Palas Fidas PM<sub>10</sub> Data – April 2023**

Date	A-PF2/EPA ID 1	A-PF4	A-PF5/EPA ID 2	Muswellbrook NW	Muswellbrook NW 24 Hour Average Limit (µg/m³)	A-PF2, A-PF4, A-PF5 24 Hour Average Limit (µg/m³)
	24 hour Average Result					
1/04/2023	11	6	-	14.2	44	50
2/04/2023	10	6	-	15	44	50
3/04/2023	23	5	-	12.6	44	50
4/04/2023	8	5	-	8.9	44	50
5/04/2023	62	7	-	14.4	44	50
6/04/2023	126	6	-	10.3	44	50
7/04/2023	10	8	-	12.4	44	50
8/04/2023	12	6	-	18.6	44	50
9/04/2023	14	5	-	17.6	44	50
10/04/2023	15	5	-	21.4	44	50
11/04/2023	8	5	-	14.2	44	50
12/04/2023	6	5	-	11.9	44	50
13/04/2023	8	6	-	11.4	44	50
14/04/2023	11	8	-	11.8	44	50
15/04/2023	35	5	-	8.5	44	50
16/04/2023	13	7	-	30.8	44	50
17/04/2023	7	5	-	16.7	44	50
18/04/2023	8	6	-	17.9	44	50
19/04/2023	9	8	-	21.8	44	50
20/04/2023	7	7	17	15.7	44	50
21/04/2023	6	6	16	15.5	44	50
22/04/2023	7	6	21	16.1	44	50
23/04/2023	43	6	18	14.4	44	50
24/04/2023	7	6	16	12.7	44	50
25/04/2023	12	6	22	14.8	44	50
26/04/2023	11	5	16	9	44	50
27/04/2023	7	7	22	12.6	44	50
28/04/2023	10	7	17	23.1	44	50
29/04/2023	9	9	14	18.6	44	50
30/04/2023	5	5	6	7.2	44	50


**Notes:**

Results in bold indicate elevated readings during adverse weather conditions.

Results with "-" indicate dates where data was affected by maintenance or servicing (scheduled and unscheduled)




**Figure 6-1** below shows the results of real-time PM<sub>10</sub> 24 hour rolling average results at MPO air quality monitoring sites April 2023.



**Figure 6-1: Real-time PM<sub>10</sub> 24 Rolling Average Results for April 2023.**

## 6.2 PM<sub>10</sub> Results – Annual Rolling Average

There were no exceedance of the PM<sub>10</sub> annual rolling average reported at MPO during April 2023. Real time PM<sub>10</sub> annual rolling averages during the reporting period are presented in **Figure 6-2** below.



**Figure 6-2: Real-time PM<sub>10</sub> Annual Rolling Average Results for April 2023.**

## 6.3 PM<sub>2.5</sub> Results – 24 Hour Rolling Average

There was no exceedance of the PM<sub>2.5</sub> annual rolling average reported at MPO during April 2023. Real time PM<sub>2.5</sub> 24 hour rolling average results for April 2023 are presented in **Table 6-2**.

**Table 6-2: MPO Palas Fidas PM<sub>2.5</sub> Data – April 2023**

Date	A-PF2/EPA ID 1	A-PF4	A-PF5/EPA ID 2	A-PF2, A-PF4, A-PF5 24 Hour Average Limit (µg/m³)
	24-hour Average Result			
1/04/2023	3	2	-	25
2/04/2023	4	2	-	25
3/04/2023	5	2	-	25
4/04/2023	3	2	-	25
5/04/2023	7	3	-	25
6/04/2023	10	3	-	25
7/04/2023	3	3	-	25
8/04/2023	4	2	-	25
9/04/2023	3	2	-	25
10/04/2023	4	2	-	25
11/04/2023	3	2	-	25
12/04/2023	3	2	-	25
13/04/2023	3	3	-	25
14/04/2023	3	3	-	25
15/04/2023	5	2	-	25
16/04/2023	3	2	-	25
17/04/2023	3	2	-	25
18/04/2023	3	3	-	25
19/04/2023	3	3	-	25
20/04/2023	3	3	5	25
21/04/2023	3	3	5	25
22/04/2023	3	3	6	25
23/04/2023	6	3	6	25
24/04/2023	3	3	6	25
25/04/2023	4	3	7	25
26/04/2023	3	2	5	25
27/04/2023	3	3	5	25
28/04/2023	3	3	6	25
29/04/2023	3	3	5	25
30/04/2023	2	2	3	25


Notes:

Results in **bold** indicate elevated readings during adverse weather conditions.

Results with “-” indicate dates where data was affected by maintenance or servicing (scheduled and unscheduled)




Real time PM<sub>2.5</sub> 24-hour average results for April 2023 are presented in **Figure 6-3** below.



**Figure 6-3: Real-time PM<sub>2.5</sub> 24 hour Rolling Average Results for April 2023.**

## 6.4 PM<sub>2.5</sub> Results - Annual Rolling Average

There was no exceedance of the PM<sub>2.5</sub> annual rolling average reported at MPO during April 2023. Real time PM<sub>2.5</sub> annual rolling averages during the reporting period are presented in **Figure 6-4** below.



**Figure 6-4: Real-time PM<sub>2.5</sub> Annual Rolling Average Results for April 2023.**

## 7. Surface Water Monitoring

### 7.1 Methodology

Surface water quality is monitored at 14 sites on a monthly basis, with additional monitoring conducted if triggered by a rain event. A more comprehensive suite of analysis is performed at these sites on a quarterly basis.

### 7.2 Assessment Criteria

Surface waters were assessed as per the *MPO Water Management Plan* (MACH Energy, 2022) in accordance with site specific trigger values that have been developed using the ANZECC (2000) guidelines for sites that contain a minimum of two years of monthly data. Sites with insufficient data are assessed on default trigger values adopted from ANZECC (2000) guidelines.

### 7.3 Results

Surface water event monitoring was conducted by AECOM on 28 April 2023. Laboratory analysis was performed by ALS NATA accredited laboratory. Monthly monitoring results for pH, EC, TSS and Total Dissolved Solids (TDS) are presented in **Table 7-1**.

**Table 7-1 – MPO Monthly Surface Water Monitoring Results – 28 April 2023**

Station	pH	Electrical Conductivity (EC) (µs/cm) <sup>1</sup>	Total Dissolved Solids (TDS) (mg/L)	Total Suspended Solids (TSS) (mg/L)
W1	8.0	780	553	8
W2	8.0	<b>950</b>	553	6
W3	8.0	1050	612	12
W4	7.7	2900	1810	18
W5	*	*	*	*
W6A	8.0	<b>930</b>	624	6
W9	*	*	*	*
W11	8.0	3500	1930	19
W12	8.0	4650	2600	6
W13	*	*	*	*
W14	^	^	^	^
W15	8.1	1150	696	15
W16	8.1	8650	4940	17
W17	8.1	<b>1100</b>	726	14

Note: Results in **bold** indicate elevated reading of adopted assessment criteria.

\*Dry or insufficient water to sample.

^ Unsafe access

<sup>1</sup> Results have been rounded in accordance with the In-house method Q4AN(EV)-332-WI2 (EC).

During the 28 April monitoring event, three (3) sites were dry or contained insufficient water to sample with site W14 unable to access. All sites were within their respective pH and TSS trigger levels. Sites W2 and W6A and W17 exceeded their respective EC trigger limits.

An investigation is triggered if elevated measurements occur for three consecutive sampling events in accordance MPO Water Management Plan (MACH Energy, 2022).

## 8. Groundwater Monitoring

Groundwater monitoring was not conducted in this reporting period. The next groundwater monitoring event is scheduled for May 2023.

## 9. Noise Monitoring

Attended noise monitoring was undertaken during the night period of 28/29 April 2023 at six (6) monitoring locations as per the *MPO Noise Management Plan* (MACH Energy, 2021) in accordance with DA 92/97 and EPL 20850.

### 9.1 Results

The results for night time attended noise monitoring for noise generated by MPO in April 2023 against noise criteria is shown in **Table 9-1**; **Table 9-2**; and **Table 9-3**.

**Table 9-1 –  $L_{A1,1min}$  Generated by MPO: Attended Night Monitoring – 28/29 April 2023**

Location	Start Date and Time	Wind Speed m/s	Stability Class	Criterion dB	Criterion Applies <sup>1</sup>	MPO Only $L_{A1,1min}$ dB <sup>2,4</sup>	Exceedance dB <sup>3</sup>
N-AT1	28/04/2023 23:32	0.9	E	45	Yes	26	No
N-AT2	28/04/2023 20:00	3.2	E	45	No	<20	NA
N-AT3	28/04/2023 20:28	2.8	E	45	Yes	<20	No
N-AT4	28/04/2023 20:52	1.3	F	45	Yes	25	No
N-AT5	29/04/2023 00:34	0.5	E	45	Yes	<20	No
N-AT6	28/04/2023 11:57	1.9	G	45	No	<20	NA

Notes:

- As per Condition L2.3 of EPL 20850, noise emission limits do not apply during wind speeds greater than 3m/s at 10m above ground level, or stability category F temperature inversion conditions and wind speeds greater than 2m/s at 10m above ground level, or stability category G temperature inversion conditions;
- Estimated or measured  $L_{A1,1minute}$  attributed to MPO;
- NA in exceedance column means meteorological conditions outside those specified in Condition L2.3 of EPL 20850 and thus criterion is not applicable;
- IA = inaudible; and
- Bold results indicate exceedance of criteria.
- Monitoring at N-AT5 was unable to be conducted due to a road closure.



**Table 9-2 –  $L_{Aeq,15min}$  Generated by MPO: Attended Night Monitoring – 28/29 April 2023**

Location	Start Date and Time	Wind Speed m/s	Stability Class	Criterion dB	Criterion Applies <sup>1</sup>	MPO Only $L_{Aeq}$ dB <sup>2,3</sup>	Exceedance dB
N-AT1	28/04/2023 23:32	0.9	E	43	Yes	21	No
N-AT2	28/04/2023 20:00	3.2	E	36	No	<20	NA
N-AT3	28/04/2023 20:28	2.8	E	41	Yes	<20	No
N-AT4	28/04/2023 20:52	1.3	F	42	Yes	21	No
N-AT5	29/04/2023 00:34	0.5	E	40	Yes	<20	No
N-AT6	28/04/2023 11:57	1.9	G	35	No	<20	NA

Notes:

- As per Condition L2.3 of EPL 20850, noise emission limits do not apply during wind speeds greater than 3m/s at 10m above ground level, or stability category F temperature inversion conditions and wind speeds greater than 2m/s at 10m above ground level, or stability category G temperature inversion conditions;
- Estimated or measured  $L_{Aeq,15minute}$  attributed to MPO;
- IA = inaudible; and
- Bold results indicate exceedance of criteria.
- Monitoring at N-AT5 was unable to be conducted due to a road closure.

**Table 9-3 –  $L_{Aeq,period}$  Cumulative Noise: Attended Night Monitoring – 28/29 April 2023**

Location	Start Date and Time	Cumulative Noise Criterion $L_{Aeq}$ dB	Measured Mining Only $L_{Aeq,period}$ dB <sup>1,2,3</sup>	Exceedance dB
N-AT1	28/04/2023 23:32	40	21	No
N-AT2	28/04/2023 20:00	40	<20	NA
N-AT3	28/04/2023 20:28	40	<20	No
N-AT4	28/04/2023 20:52	40	21	No
N-AT5	29/04/2023 00:34	40	24	No
N-AT6	28/04/2023 11:57	40	<20	NA

Notes:

- These are the results for MPO and all other mining sources. 15-minute measurements have been assumed to apply across the entire night period as a conservative measure and to represent "worst case" results; and
- By definition, cumulative noise refers to two or more noise sources. If only one other source of mining is audible, or if MPO is inaudible, the measured cumulative noise defined here is 'Nil'.
- NA in exceedance column means criterion was not applicable due to atmospheric conditions.
- Monitoring at N-AT5 was unable to be conducted due to a road closure.

The purpose of the noise monitoring is to quantify and describe the existing acoustic environment around the mining operation and compare results with relevant limits as per the *MPO Noise Management Plan* (MACH Energy, 2021). Noise levels from MPO complied with noise limits at all monitoring locations during the monitoring period.

## 10. Blast Monitoring

There were 4 blast events during April (a total of 23 blasts YTD). Results for April 2023 are presented in **Table 10-1**. All blast results during this monitoring period were below the criteria stated in Schedule 3, Condition 10 of DA 92/97 and L5 of EPL 20850.

**Table 10-1 – MPO Blast Monitoring Results - April 2023**

Day & Date Fired	Time Fired	Vibration (mm/s) BVOC	Overpressure (dBL) BVOC	Vibration (mm/s) BVO2	Overpressure (dBL) BVO2	Blast Fume Compliant
6/04/2023	14:53	0.930	93	0.420	106.2	Y
13/04/2023	13:22	0.230	93.7	0.220	93.6	Y
20/04/2023	15:05	1.150	102.1	0.830	108.4	Y
27/04/2023	11:33	1.250	97.6	0.900	101.8	Y

**END OF REPORT**